

Air dryer, with heating unit

suitable for: DAF, Mercedes-Benz

????????

Wabco: 932 400 024 0



360° view

The amount of water vapour present in the compressed air is extracted by means of granulate material with the help of an air dryer, which is located between the pressure regulator and the multi-circuit protection valve and this is then led outside via the vent of the dryer. The task of filtration is extremely important since humid air can freeze in winters and/or interfere with the braking function through corrosion.

The air dryer 4.69830 by the brand DT Spare Parts is known by its first-class processing of individual parts as well as by its excellent precision fit.

Based on the 22-point testing plan used for this product, the air dryer is evaluated for flawless function, correct dimensions and further optical characteristics to ensure trouble-free operation.

Further links

Similar articles from the product range of the brand DT Spare Parts

Note: Accessories are listed on the respective article detail page in the Partner Portal.

Tips & tricks

Before replacing the item, it is important to check the dismantled item. If dirt or oil particles are visible when the air dryer cartridge is dismantled, the compressed air system must be cleaned. If oil accumulates in the air dryer, the oil discharge of the air compressor should be checked. Mark connecting lines before dismantling to ensure that no lines are interchanged.

Replace sealing rings/screw connections depending on the condition. Function and leak test should be carried out before assembly.

Structure of the air dryer

1. Air dryer cartridge
2. Safety valve
3. Heating cable
4. Electrical connector
5. Aluminium housing

Request article or order in Partner Portal

DT Spare Parts

The brand DT Spare Parts from Germany provides a complete range of vehicle parts and accessories with a 24 month guarantee – no matter whether for trucks, trailers, buses, transporters or further applications, e.g. cars, agricultural vehicles, construction vehicles, marine or industrial applications. The guaranteed brand quality is achieved through the consistent product optimisation and relentless quality assurance within the framework of the Diesel Technic Quality System (DTQS).

More info: www.dtqs.de