

# Switching device, gear shift lever

Suitable for: Mercedes-Benz

???????

Kongsberg: 629582AM



360° view

The switching device 4.65501 generates the hydraulic signals required for changing gears, depending on the gear p-reselected by the driver.

A void-free aluminium housing, manufactured in a high-pressure process, contains four switching pistons made with high precision, which are sealed against the come out of the hydraulic medium by high-quality sealing elements. Two pressure sensors monitor the mandatory operating pressure. The oil tank contains the necessary oil supply for reliable operation. A rubber sleeve avoids moisture and dirt penetration.

Further links

## Similar articles from the product range of the brand DT Spare Parts

Note: Accessories are listed on the respective article detail page in the Partner Portal.

### Tips & Tricks

It is important to shift the gearbox to neutral before dismantling the switching device. Afterwards, first disconnect the supply pipe and then disconnect the electrical plug connections. In the last step of dismantling, the hydraulic lines are removed. The installation is carried out in reverse order. In doing so, the mounting torques must be observed. Now the hydropneumatic circuit can be vented. Make sure that there is no deformation or dirt on the cone of the vent valve.

The bleeding device should always be filled and stand still so that no mixture of hydraulic fluid and air is produced. It is ideal if the fully filled bleeding device stands still for approximately six hours before venting.

### Construction of the switching device

1. Rubber sleeve
2. Sealing elements
3. Piston
4. Pressure sensor 4.62966
5. Oil tank 4.63902

17.05.2024 · Product Promotion · Switching device, gear shift lever · DT Spare Parts

Request article or order in Partner Portal

## DT Spare Parts

The brand DT Spare Parts from Germany provides a complete range of vehicle parts and accessories with a 24 month guarantee – no matter whether for trucks, trailers, buses, transporters or further applications, e.g. cars, agricultural vehicles, construction vehicles, marine or industrial applications. The guaranteed brand quality is achieved through the consistent product optimisation and relentless quality assurance within the framework of the Diesel Technic Quality System (DTQS).

More info: [www.dtqs.de](http://www.dtqs.de)