

Spring brake cylinder

Suitable for: MAN

????????

Wabco: 925 421 540 0



360° view

The combined spring brake cylinder 3.74016 is characterised by high performance and a long service life. It is subject to a total of 12 different quality controls. One special feature is the internal venting, which prevents moisture and dirt from entering the spring chamber. The special aluminium housing and zinc-nickel coating provide optimal corrosion protection, while the hardened fork head ensures a long life and safe use. DT Spare Parts' spring brake cylinders feature type and connection markings as well as other information, such as the tightening torque for the emergency release screw.

Further links

Similar articles from the product range of the brand DT Spare Parts

Note: Accessories are listed on the respective article detail page in the Partner Portal.

Tips & Tricks

The item is under pressure due to a pre-tensioned spring. Before removal/installation, the cylinder's inner spring must be secured by unscrewing the spindle. The item can be removed/installed when in the released state and not under pressure. After installation, screw the spindle back in. During installation, pay attention to the mounting position of the item.

The vent hole on the front diaphragm brake cylinder must point downwards so that the condensation water can drain out. Remove any plastic plugs from the lower vent hole. Replace brake cylinders in axle pairs to achieve optimum braking performance. Perform a visual inspection and functional test under all operating conditions after each replacement.

Construction of the spring brake cylinder

1. Diaphragm cylinder
2. Spring mechanism
3. Fork head
4. Piston rod
5. Vent hole
6. Diaphragm
7. Compression spring
8. Piston
9. Compressed air connections
10. Bleed valve
11. Mechanical release device

16.05.2024 · Product Promotion · Spring brake cylinder · DT Spare Parts

Request article or order in Partner Portal

DT Spare Parts

The brand DT Spare Parts from Germany provides a complete range of vehicle parts and accessories with a 24 month guarantee – no matter whether for trucks, trailers, buses, transporters or further applications, e.g. cars, agricultural vehicles, construction vehicles, marine or industrial applications. The guaranteed brand quality is achieved through the consistent product optimisation and relentless quality assurance within the framework of the Diesel Technic Quality System (DTQS).

More info: www.dtqs.de